Ultrasound in medicine and biology



Author–Subject Index
Volume 15 (1989)

Compiled by

Michael Halliwell

Department of Medical Physics, Bristol General Hospital, Bristol BS1 6SY, England

PERGAMON PRESS

NEW YORK · OXFORD · BEIJING · FRANKFURT
SAO PAULO · SYDNEY · TOKYO · TORONTO

ULTRASOUND IN MEDICINE AND BIOLOGY

WORLD FEDERATION FOR ULTRASOUND IN MEDICINE AND BIOLOGY

President: F. WEILL, *Besançon, France*
Vice-President: P. N. T. WELLS, *Bristol, England*
Past-President: H. E. THOMPSON, *Denver, U.S.A.*
President-Elect: M. FUKUDA, *Sapporo, Japan*
Treasurer: B. GOLDBERG, *Philadelphia, U.S.A.*
Secretary: D. ROBINSON, *Chatswood, Australia*
Editor of the Journal: D. N. WHITE, *Kingston, Canada*
Councillors: R. C. OTTO, *Zurich, Switzerland*
H. TAKEUCHI, *Tokyo, Japan*
H. WATANABE, *Kyoto, Japan*

AFFILIATED SOCIETIES

American Institute of Ultrasound in Medicine (AIUM), F. Kremkau, Secretary, 4405 East-West Highway, Suite 504, Bethesda, MD 20814, U.S.A.

Australian Society for Ultrasound in Medicine (ASUM), P. Duffy, Secretary, 126 Greville Street, Chatswood, NSW 2067, Australia

Egyptian Society for Ultrasonics (ESU), Dr. Y. Mohran, Secretary, 376 Pyramids Road, Giza, Cairo, Egypt

European Federation of Societies for Ultrasound in Medicine and Biology (EFSUMB), Dr. W. N. McDicken, Dept. of Medical Physics, The Royal Infirmary, Edinburgh EH4 2XU, Scotland

Indian Society of Medical Ultrasound, Dr. C. V. Vanjani, President, 133A-18 Ram-Kutir, L.J. Road, Mahim, Bombay 400 016, India

Indonesian Society of Medical Ultrasonography (PUSKI), Dr. M. Rachman, Secretary ISUM, P.O. Box 4151/JKT-10001, Jakarta, Indonesia

Japan Society of Ultrasound in Medicine (JSUM), Dr. K. Ito, Secretary, Suzuki Building, 4F, 2-26-9, Hongo, Bunkyo-ku, Tokyo 113, Japan

Latin-American Federation of Societies of Ultrasound in Medicine and Biology (LAFSUMB), Dr. Giovanni Guido Cerri, Av. Paulista, 491 13.° conj. 132, CEP 01311, São Paulo, Brasil

Malaysian Society of Ultrasound in Medicine (MSUM), Dr. S. K. Ong, Secretary, N.S. Chinese Maternity Hospital and Medical Center, Jalan Templer, Seremban, Negri Sembilan, Malaysia

Societas Internationalis pro Diagnostica Ultrasonica in Ophthalmologia (SIDUO), Dr. Gerhard Hasenfratz, Augenklinik der Universitat Munchen, Mathildenstr. 8, D-8000 Munchen 2, Federal Republic of Germany

South African Medical Ultrasound Society (SAMUS), Dr. M. Jacobson, Secretary SAMUS, Box 93499, Yeoville 2143, Republic of South Africa

Publishing, Advertising, and Subscription Offices: Pergamon Press, Inc., Fairview Park, Elmsford, NY 10523, U.S.A.; or Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England.

Published 9 per annum. Annual institutional subscription rate (1990): US $295.00; *Two-year institutional subscription rate* (1990/91): US $560.50. *Personal subscription rate* for those whose library subscribes at the regular rate (1990): US $90.00. Members of the World Federation for Ultrasound in Medicine and Biology may order personal subscriptions at a concessional rate; details of these rates are available upon request. Prices are subject to change without notice. Notify 8 weeks in advance of address change with a copy of the subscription mailing label. *Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Press offices.

Copyright © 1990 Pergamon Press plc

The Item-Fee Code for this publication is: 0301-5629/90 $3.00 + .00

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for copying. Please contact the Subsidiary Rights Manager, Publishing Services Dept. at either Pergamon Press plc or Pergamon Press, Inc.

Ultrasound in Medicine and Biology (ISSN 0301-5629) Nine issues per annum. Second-Class postage paid at Elmsford, NY and additional mailing offices. POSTMASTER: Send address changes to: *Ultrasound in Medicine and Biology*, Pergamon Press, Inc., Fairview Park, Elmsford, NY 10523.

AUTHOR/SUBJECT INDEX

A

20 MHz scanning
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273

Abraham, V., Ziskin, M. C. and Heyner, S.: temperature elevation in the rat fetus due to ultrasound exposure, 443

Absorption
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Acoustic output
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213

Adamson, S. L., Morrow, R. J., Bascom, P. A. J., Mo, L. Y. L. and Ritchie, J. W. K.: effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach, 437

Agar
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383

Age
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Aggregation
theoretical criterion for acoustic aggregation (Nyborg), 93

Alanen, A., see Kallio, T.

Aliasing
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749

Amplitude distortion
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

Anatomy
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629

Andrews, L. T., see Klingler, J. W.

Angiomyolipoma
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Angle errors
correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers (Shattuck), 673

Annular array
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—1. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649

Anti-aliasing
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749

Aorta
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113

Aortic diameter
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189

Arborelius, M. Jr., see Jungquist, G.

Argand diagram
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13

Arnolds, B. J., Kunz, D. and von Reutern, G.-M.: spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume, 729

Arterial diameter
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437

Arterial disease
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13

Artery
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723

features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Artifact
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341

Aterial stenosis
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Atherogenesis
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723

Atherosclerosis
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305

Atlas
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Attenuation
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21
contrast agents in diagnostic ultrasound (Ophir), 319
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Attenuation compensated volume flowmeter
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179

Autoregressive spectrum analysis
a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263

Axis
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Ayme, E. J. and Carstensen. E. L.: cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test, 61

B

B cell development
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567

B lymphocyte development
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575

Backscatter
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311
contrast agents in diagnostic ultrasound (Ophir), 319
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Bacon, D. R.: prediction of *in situ* exposure to ultrasound: an improved method, 355
Baggs, R. B., see Tuthill, T. A.

Baker, J. D., Skidmore, R. and Cole, S. E. A.: LaPlace transform analysis of femoral artery Doppler signals: the state of the art, 13
Balcer-Kubiczek, E. K., see Harrison, G. H.
Bascom, P. A. J., see Adamson, S. L.
Beach, K. W., Isaac, C. A., Phillips, D. J. and Strandness, D. E.: an ultrasonic measurement of superficial femoral artery wall thickness, 723

Beam computation
a sonographic technique to reduce beam distortion by curved interfaces (Kossoff), 375

Beam correction
a sonographic technique to reduce beam distortion by curved interfaces (Kossoff), 375

Beam profile
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
a sonographic technique to reduce beam distortion by curved interfaces (Kossoff), 375
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Beam tracking
correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers (Shattuck), 673
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341

Begeman, M. S., see Klingler, J. W.
Berson, M., Patat, F., Wang, Z. Q., Besse, D. and Pourcelot, L.: very high frequency pulsed Doppler apparatus, 121
van Best, J., see Romijn, R. L.

Bifurcation depth
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Bioeffects
bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system (Miller), 641
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Blood cells
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Blood echogenicity
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555

Blood flow
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Blood velocity
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113

Bogdanov, K. Y., see Zakharov, S. I.
Brauner, T., Brummer, F. and Hulser, D. F.: histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids, 451

Breast
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Breast cancer
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Brummer, F., see Brauner, T.
Brummer, F., Brenner, J., Brauner, T. and Hulser, D. F.: effect of shock waves on suspended and immobilized L1210 cells, 229
Brunholzl, Ch. and von Reutern, G.-M.: hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound, 201
Buschmann, W. and Haigis, W.: measurement-based ophthalmic ultrasonography, 161

Bubbles
bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system (Miller), 641

C

C3H/10T1/2 mouse embryo
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335

Campbell, J. D., Hutchison, K. J. and Karpinski, E.: variation of Doppler ultrasound spectral width in the post-stenotic velocity field, 611

Canine caecum
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273
Canter, C. E., see Milunski, M. R.

Capillary flow
very high frequency pulsed Doppler apparatus (Berson), 121

Carcinogenesis
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335

Coleman, A. J. and Saunders, J. E.: a survey of the acoustic output of commercial extracorporeal shock wave lithotripters, 213

Cardiac output
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179

Cardiology
automatic detection of inter-frame motion in echocardiographic images (Klingler), 683
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311

Carotid artery
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305

repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545

Carotid artery steal
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201

Carpenter, D. A., see Kossoff, G.
Carson, P. L., Rubin, J. M. and Chiang, E. H.: fetal depth and ultrasound path lengths through overlying tissues, 629
Casty, M., see Sturm, R. P.

Cat
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189

Cavitation
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67
bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system (Miller), 641
cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test (Ayme), 61
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Cell culture
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229

Cell lysis
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67

Cell suspension
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451

Cells
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67

biological consequences of hyperthermia (Miller), 707
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Cerebral artery
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Cerebral blood flow
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Cervical vertebra
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Chiang, E. H., see Carson, P. L.
Child, S. Z., Hoffman, D., Strassner, D., Carstensen, E. L., Gates, A. H., Cox, C. and Miller, M. W.: a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound, 39

Chinese hamster ovary cells
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255

Cholescintigraphy
gallbladder emptying in diabetic patients and control subjects assessed by real-time ultrasonography and cholescintigraphy: a methodological comparison (Kronert), 535

Ciaravino, V., see Desai, B. B.
Ciaravino, V., see Sosolik, R. C.

Claudication
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555

Cobbold, R. S. C., see Law, Y. F.

Colloids
contrast agents in diagnostic ultrasound (Ophir), 319

Compliance
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189

Computed tomography
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Conductance
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Constitution
World federation for Ultrasound in Medicine and Biology, 589

Contractility
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311

Contraction force
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

Contrast
contrast agents in diagnostic ultrasound (Ophir), 319
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383

Corl, P. D., see Foster, F. S.

Correlation artifacts
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341

Crum, L. A., see Dinno, M. A.

Continuous wave Doppler
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107

D

Daniels, O., see Mullaart, R. A.
van Delft, J. L., see Romijn, R. L.
Desai, B. B., see Sosolik, R. C.
Desai, B. B., Sosolik, R. C., Ciaravino, V. and Teale, J. M.: effect of fetal exposure to ultrasound on B cell development in BALB/c mice, 567

Desai, B. B., Sosolik, R. C., Ciaravino, V. and Teale, J. M.: effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice, 575

Diabetes mellitus
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723
detection of fetal structural malformations by ultrasound in insulin-dependent pregnant women (Pijlman), 541
gallbladder emptying in diabetic patients and control subjects assessed by real-time ultrasonography and cholescintigraphy: a methodological comparison (Kronert), 535

Diagnosis
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Digital beamformer
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661

Digital ultrasound
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661

Dines, K. A., see Fry, F.
Dinno, M. A., Crum, L. A. and Wu, J.: the effect of therapeutic ultrasound on electrophysiological parameters of frog skin, 461

Discriminant analysis
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Distortion
a sonographic technique to reduce beam distortion by curved interfaces (Kossoff), 375

DNA
single strand breaks in human leukocytes induced by ultrasound *in vitro* (Miller), 765

Dog
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53

Doppler
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263

a second order approximation in the Doppler equation (Wells), 73L
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749
Doppler spectral waveform generation *in vitro*: an aid to diagnosis of vascular disease (Shortland), 737
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
measurement-based ophthalmic ultrasonography (Buschmann), 161
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107
the Doppler shift and speed of sound in blood (Oates), 75L
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
tissue characterisation (Taylor), 421
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113
very high frequency pulsed Doppler apparatus (Berson), 121

Doppler angle
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205

Doppler equation
a second order approximation in the Doppler equation (Wells), 73L
the Doppler shift and speed of sound in blood (Oates), 75L
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205

Dosimetry
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629

Duck, F. A., see Starritt, H. C.

Duplex scanner
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729

Dye dilution
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179

Dynamic focusing
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649

E

Ear
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Echo tracking
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189

Echocardiography
automatic detection of inter-frame motion in echocardiographic images (Klingler), 683

Eggstein, M., see Kronert, K.

Electron microscopy
differing effects of ultrasound-irradiation on suspension and monolayer cultured HeLa cells, investigated by scanning electron microscopy (Kerr), 397L
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

EMT6/ro cells
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451

Emulsions
contrast agents in diagnostic ultrasound (Ophir), 319

Endoscope probes
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273

Entman, S. S., see Fleischer, A. C.

Epithelium
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Errors
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
Doppler spectral waveform generation *in vitro*: an aid to diagnosis of vascular disease (Shortland), 737

Erythrocytes
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Estlinbaum, W., see Sturm, R. P.
Evans, D. H., Schlindwein, F. S. and Levene, M. I.: the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries, 429
Evans, J. M., Skidmore, R., Baker, J. D. and Wells, P. N. T.: a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results, 179
Evans, J. M., Skidmore, R., Luckman, N. P. and Wells, P. N. T.: a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields, 169

Exposure
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

Extracorporeal shock wave lithotripsy
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53

F

Fahnestock, M., Rimer, V. G., Yamawaki, R. M., Ross, P. and Edmonds, P. D.: effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes, 133

Fast Fourier analysis
a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263

Fat
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Femoral artery
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723

Fetal anomalies
detection of fetal structural malformations by ultrasound in insulin-dependent pregnant women (Pijlman), 541

Fetal heartrate
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101

Fetal weight
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39

Fetus
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629

Fibroblasts
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335

Finite amplitude
cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test (Ayme), 61
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481

Fixed red cells
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505

Fleischer, A. C., Gordon, A. N. and Entman, S. S.: transabdominal and transvaginal sonography of pelvic masses, 529

Flow cytometry
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229

Flow rig
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749
Doppler spectral waveform generation *in vitro*: an aid to diagnosis of vascular disease (Shortland), 737
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729

Focused ultrasound
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Foster, F. S., Larson, J. D., Mason, M. K., Shoup, T. S., Nelson, G. and Yoshida, H.: development of a 12 element annular array transducer for realtime ultrasound imaging, 649
Foster, F. S., Larson, J. D., Pittaro, R. J., Corl, P. D., Greenstein, A. P. and Lum, P. K.: a digital annular array prototype scanner for realtime ultrasound imaging, 661
Fraker, T. D. Jr., see Klingler, J. W.

Frequency dependent attenuation
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757

Frog skin
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Fry, F.: ultrasound irradiation of pregnant mice, 519L
Fry, F., Dines, K. A., Reilly, C. R. and Goss, S. A.: losses in tissue associated with finite amplitude ultrasound transmission, 481

Furans
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555

G

Gallbladder
gallbladder emptying in diabetic patients and control subjects assessed by real-time ultrasonography and cholescintigraphy: a methodological comparison (Kronert), 535

Gas bubbles
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67
contrast agents in diagnostic ultrasound (Ophir), 319

Gavrilov, L. R., see Zakharov, S. I.

Gender
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Genetic damage
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255

Glycogen
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621

Gordon, A. N., see Fleischer, A. C.
Goss, S. A., see Fry, F.
Gotz, V., see Kronert, K.
Greenstein, A. P., see Foster, F. S.

Gustafsson, D., Stale, H., Bjorkman, J.-A. and Gennser, G.: derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes, 189

Gynaecology
transabdominal and transvaginal sonography of pelvic masses (Fleischer), 529

H

de Haan, A. F. J., see Mullaart, R. A.
Harrison, G. H. and Balcer-Kubiczek, E. K.: continuous-wave ultrasound and neoplastic transformation *in vitro*, 355
He, P. and McGoron, A.: parameter estimation for non-linear frequency dependent attenuation in soft tissue, 757

HeLa cells
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Hemolysis
bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system (Miller), 641
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Hemopoiesis
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575

Heyner, S., see Abraham, V.

High resolution
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273

Histology
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
ultrasonic characterisation of selected renal tissues (Turnbull), 241
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Ho, P. L., see Kossoff, G.
Hopman, J. C. W., see Mullaart, R. A.

Hoskins, P. R., Haddad, N. G., Johnstone, F. D., Chambers, S. E. and McDicken, W. N.: the choice of index for umbilical artery Doppler waveforms (Hoskins), 107
Hoskins, P. R., Johnstone, F. D., Chambers, S. E., Haddad, N. G., White, G. and McDicken, W. N.: heartrate variation of umbilical artery Doppler waveforms, 101

Hot film anemometry
an experimental investigation of streaming in pulsed diagnostic ultrasound beams (Starritt), 363

Hulser, D. F., see Brauner, T.
Humphrey, V. F., see Starritt, H. C.
Hutchison, K. J., see Campbell, J. D.

Hydrophones
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213

Hypertension
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437

Hyperthermia
biological consequences of hyperthermia (Miller), 707
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Hyperventilation
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

I

Iliac artery
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13

Image processing
automatic detection of inter-frame motion in echocardiographic images (Klingler), 683

Image quality
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383

Imaging
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649
transabdominal and transvaginal sonography of pelvic masses (Fleischer), 529

Immobilisation
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229

Immunocompetance
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575

Immunological effects
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575

In situ *exposure*
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

In vitro *irradiation*
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
differing effects of ultrasound-irradiation on suspension and monolayer cultured HeLa cells, investigated by scanning electron microscopy (Kerr), 397L
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53
single strand breaks in human leukocytes induced by ultrasound *in vitro* (Miller), 765
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

In vivo *irradiation*
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567

effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45
ultrasound irradiation of pregnant mice (Fry), 519L

Innominate artery
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201

Insana, M. F., see Smith, S. W.

Insertion loss
very high frequency pulsed Doppler apparatus (Berson), 121

Insulin-dependent pregnancy
detection of fetal structural malformations by ultrasound in insulin-dependent pregnant women (Pijlman), 541

Internal carotid artery
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305

Internal cerebral vein
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Internal jugular vein
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Interobserver error
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Intestinal wall
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273

Intraocular disease
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
measurement-based ophthalmic ultrasonography (Buschmann), 161

Ion transport
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Irradiation
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67
biological consequences of hyperthermia (Miller), 707
bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system (Miller), 641
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
differing effects of ultrasound-irradiation on suspension and monolayer cultured HeLa cells, investigated by scanning electron microscopy (Kerr), 397L
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29
ultrasound irradiation of pregnant mice (Fry), 519L

Isotype switch
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581

J

Jet streams
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229

histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451

Johnson, G. W., see Shattuck, D. P.

Johnson, W., see Ophir, J.

Johnston, K. W., see Law, Y. F.

Jungquist, G., Arborelius, M. Jr. and Lindell, S-E.: features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery, 305

K

Kallio, T., Alanen, A. and Kormano, M.: the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl, 555

Karpinski, E., see Campbell, J. D.

Kerr, C. L., Gregory, D. W., Shammari, M., Watmough, D. J. and Wheatley, D. N.: differing effects of ultrasound-irradiation on suspension and monolayer cultured HeLa cells, investigated by scanning electron microscopy, 397L

Kerr, C. L., Gregory, D. W., Chan, K. K., Watmough, D. J. and Wheatly, D. N.: ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy, 45

Klingler, J. W., Begeman, M. S., Fraker, T. D. Jr. and Andrews, L. T.: automatic detection of inter-frame motion in echocardiographic images, 683

Kidney

ultrasonic characterisation of selected renal tissues (Turnbull), 241

de Koning, W. B., see Pijlman, B. M.

Kormano, M., see Kallio, T.

Kossoff, G., Carpenter, D. A., Robinson, D. E., Ostry, D. and Ho, P. L.: a sonographic technique to reduce beam distortion by curved interfaces, 375

Kronert, K., Gotz, V., Reuland, P., Luft, D. and Eggstein, M.: gallbladder emptying in diabetic patients and control subjects assessed by real-time ultrasonography and cholescintigraphy: a methodological comparison, 535

L

L1210 cells

effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229

histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451

LaPlace transform

LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13

Larson, J. D., see Foster, F. S.

Law, Y. F., Johnston, K. W., Routh, H. F. and Cobbold, R. S. C.: on the design and evaluation of a steady flow model for Doppler ultrasound studies, 505

Leukocytes

single strand breaks in human leukocytes induced by ultrasound *in vitro* (Miller), 765

Levene, M. I., see Evans, D. H.

Lindell, S-E., see Jungquist, G.
Lopez, H., see Smith, S. W.
Lucas, B. C., Driller, J., Iwamoto, T., Silverman, R. H., Lizzi, F. L. and Coleman, D. J.: ultrasonically induced disruption and haemolysis of vitreous hemorrhages, 29
Luft, D., see Kronert, K.
Lum, P. K., see Foster, F. S.

Light microscopy
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Lithotripsy
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53

Liver
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481
tissue characterisation (Taylor), 421

Lymphopoiesis
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575

M

Magnetic resonance
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113

Martin, R. W., Silverstein, F. E. and Kimmey, M. B.: a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273
Mason, M. K., see Foster, F. S.

Maximum frequency shift
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305

Maximum velocity
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429

Mean frequency
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179

Mean velocity
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429

Mehta, D., see Ophir, J.
Mehta, D., see Shattuck, D. P.

Melanoma
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471

Membrane
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Membrane potential
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

Mesenteric flow, rat
very high frequency pulsed Doppler apparatus (Berson), 121

Mice
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575
ultrasound irradiation of pregnant mice (Fry), 519L

Microcirculation
very high frequency pulsed Doppler apparatus (Berson), 121

Middle cerebral artery
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Miller, D. L., Reese, J. A. and Frazier, M. E.: single strand breaks in human leukocytes induced by ultrasound *in vitro*, 765
Miller, D. L. and Williams, A. R.: bubble cycling as the explanation of the promotion of ultrasonic cavitation in a rotating tube exposure system, 641
Miller, J. G., see Milunski, M. R.
Miller, M. W., Azadniv, M., Pettit, S. E., Church, C. C., Carstensen, E. L. and Hoffman, D.: sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results, 255
Miller, M. W., Ziskin, M. C.: biological consequences of hyperthermia, 707
Miller, M. W., Church, C. C., Brayman, A. A., Malcuit, M. S. and Boyd, R. W.: an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity, 67
Milunski, M. R., Canter, C. E., Wickline, S. A., Sobel, B. E., Miller, J. G. and Perez, J. E.: cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion, 311

Miniature probes
a 20 MHz ultrasound system for imaging the intestinal wall (Martin), 273

Mo, L. Y. L., see Adamson, S. L.

Model
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723
correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers (Shattuck), 673
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443
theoretical criterion for acoustic aggregation (Nyborg), 93
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Morrow, R. J., see Adamson, S. L.

Motion
automatic detection of inter-frame motion in echocardiographic images (Klingler), 683

Motion artefacts
very high frequency pulsed Doppler apparatus (Berson), 121

Mouse
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567
effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
effect of fetal exposure to ultrasound on the development of functional, antigen-specific B lymphocytes in fetal and neonatal BALB/c mice (Desai), 575
ultrasound irradiation of pregnant mice (Fry), L519

Mullaart, R. A., Hopman, J. C. W., Daniels, O., Rotteveel, J. J., de Haan, A. F. J. and Vreuls, H. J. M.: repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns, 545

Multicell tumor spheroids
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451

Murine C1300 neuroblastoma
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133

Myocardium
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

N

Na+-K+-ATPase activity
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133

Nelson, G., see Foster, F. S.

Neonates
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Neonatology
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545

the relationship between time averaged intensity weighted mean velocity, and time averaged maximum velocity in neonatal cerebral arteries (Evans), 429
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Neoplastic transformation
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335

Nomographic considerations
biological consequences of hyperthermia (Miller), 707

Non-thermal effects
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Nonlinear acoustic phenomena
an experimental investigation of streaming in pulsed diagnostic ultrasound beams (Starritt), 363
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

Nonlinear attenuation
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757

Nyborg, W. L.: theoretical criterion for acoustic aggregation, 93

O

Oates, C. P.: the Doppler shift and speed of sound in blood, 75L

Obstetrics
detection of fetal structural malformations by ultrasound in insulin-dependent pregnant women (Pijlman), 541

Occlusive disease
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201

Oncocytoma
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Oosterhuis, J. A., see Romijn, R. L.
Ophir, J. and Parker, K. J.: contrast agents in diagnostic ultrasound, 319
Ophir, J., Johnson, W., Yazdi, Y., Shattuck, D. and Mehta, D.: correlation artifacts in speed of sound estimation in scattering media, 341
Ophir, J., see Shattuck, D. P.

Ophthalmography
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471

Ophthalmology
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
measurement-based ophthalmic ultrasonography (Buschmann), 161

Orbital disorders
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
measurement-based ophthalmic ultrasonography (Buschmann), 161

Ostry, D., see Kossoff, G.

P

Papillary muscle
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

Paradoxical septal movement
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311

Parker, K. J., see Ophir, J.
Parker, K. J., see Tuthill, T. A.

pCO2
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Pelvic mass
transabdominal and transvaginal sonography of pelvic masses (Fleischer), 529

Perez, J. E., see Milunski, M. R.

Peripheral arterial disease
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723

Permeability
effects of ultrasound exposure *in vitro* on neuroblastoma cell membranes (Fahnestock), 133

Pfannschmidt, J. and Jorch, G.: transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates, 9

Phagocytosis
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Phantom
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749

Doppler spectral waveform generation *in vitro*: an aid to diagnosis of vascular disease (Shortland), 737
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Phillips, D. J., Beach, K. W., Primozich, J. and Strandness, D. E., Jr.: should results of ultrasound Doppler studies be reported in units of frequency or velocity?, 205

Pig
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Pijlman, B. M., de Koning, W. B., Wladimiroff, J. W. and Stewart, P. A.: detection of fetal structural malformations by ultrasound in insulin-dependent pregnant women, 541
Pittaro, R. J., see Foster, F. S.

Pourcelot index
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Power spectrum
a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263

Pregnant mice
ultrasound irradiation of pregnant mice (Fry), 519L

Pressure
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213

Pressure-diameter relationship
derivation of haemodynamic information from ultrasonic recordings of aortic diameter changes (Gustafsson), 189

Proliferation
effect of fetal exposure to ultrasound on B cell development in BALB/c mice (Desai), 567

Pulsatility index
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107

Pulsed Doppler
cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test (Ayme), 61
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749

should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
very high frequency pulsed Doppler apparatus (Berson), 121

Q

Quadrature sampling
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661

R

Rabbit
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Radiation force
an experimental investigation of streaming in pulsed diagnostic ultrasound beams (Starritt), 363
theoretical criterion for acoustic aggregation (Nyborg), 93

Rat
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

Rat fetus
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Real-time B scan localisation
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Red cell aggregation
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555

Refraction
a sonographic technique to reduce beam distortion by curved interfaces (Kossoff), 375
correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers (Shattuck), 673

Reilly, C. R., see Fry, F.

Renal cell carcinoma
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Renal tissue
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Report
conference for ultrasonics in biophysics and engineering, Allerton May 30–June 2, 1989 (Frizzell), 694

Reproducibility
repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclinoid segment of the internal carotid artery in preterm newborns (Mullaart), 545

Resistance index
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107

Resolution
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729

Resonance
contrast agents in diagnostic ultrasound (Ophir), 319

Reuland, P., see Kronert, K.
von Reutern, G.-M., see Arnolds, B. J.
von Reutern, G.-M., see Brunholzl, Ch.

Reviews
atlas of duplex ultrasonography: Salles-Cunha and Andros (Carrol), 395
echocardiography in coronory artery disease: Kerber (Nanda and Cooper), 603
fetal sectional anatomy and ultrasonography: Nelson et al. (Hadlock), 603
noninvasive cardiac imaging: recent developments: Meltzer, et al. (eds.) (Jaffe), 691
operative ultrasonography: Siegal (Strandness), 517
ultrasound of the prostate: Rifkin (Fleischer), 603
ultrasound: its chemical, physical and biological effects: Suslick (ed.) (Miller), 691

Reynold's number
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Ritchie, J. W. K., see Adamson, S. L.
Robinson, D. E., see Kossoff, G.
Romijn, R. L., Thijssen, J. M., van Delft, J. L., de Wolff-Rouendaal, D., van Best, J. and Oosterhuis, J. A.: *in vivo* ultrasound backscattering estimation for tumour diagnosis: an animal study, 471
Rosenshtraukh, L. V., see Zakharov, S. I.

Rotating test tube
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67

Rotteveel, J. J., see Mullaart, R. A.
Routh, H. F., see Law, Y. F.
Rubin, J. M., see Carson, P. L.

S

Safety
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

Safety and standardization symposium
welcome remarks (Weill), 1S
introduction (Kossoff), 3S
special considerations in choosing parameters to characterise acoustic output of diagnostic equipment (Wells), 7S
parameters recommended by organizations to characterize acoustic output of diagnostic equipment (Hill), 15S
models-overview (Ziskin), 21S
sound velocity choice for modeling and measurement (Carpenter), 23S
constant soft tissue distance model in pregnancy (Carson), 27S
NCRP-AIUM uniform absorption models (Carstensen), 31S
FDA model for regulatory purposes (Stratmeyer), 35S
NCRP-AIUM models for temperature calculations (Nyborg), 37S
effect of tissue perfusion on temperature elevation (Hynynen), 45S
acoustic data of Japanese ultrasonic diagnostic equipment (Ide), 49S
acoustic output of ultrasound equipment: summary of data reported to the AIUM (Zagzebski), 55S
output data from European studies (Duck), 61S
clinical benefit of higher acoustic output levels (Kremkau), 69S
manufacturer's viewpoint (Dellinger), 71S
overview to parameters for bioeffects experiments (Barnett), 75S
AIUM's position on reporting parameters of bioeffects experiments (Edmonds), 79S
EFSUMB position (Williams), 81S
overview to statements, recommendations and guidelines for diagnostic equipment (Nyborg), 85S
summary (Thompson), 93S
recent progress on standards and bioeffects in Japan (Maeda), 99S
review of current IEC activities in acoustic output standardization of medical ultrasonic equipment (Preston), 101S
AIUM/CDRH (FDA) regulatory discussion (Merritt), 105S

Sample volume
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729

Scattering
contrast agents in diagnostic ultrasound (Ophir), 319

correlation artifacts in speed of sound estimation in scattering media (Ophir), 341
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505

Scherzinger, A. L., Belgam, R. A., Carson, P. L., Meyer, C. R., Sutherland, J. V., Bookstein, F. L. and Silver, T. M.: assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis, 21
Schlindwein, F. S. and Evans, D. H.: a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263
Schlindwein, F. S., see Evans, D. H.

Septal thickening
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311

Shattuck, D. P., Ophir, J., Johnson, G. W., Yazdi, Y. and Mehta, D.: correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers, 673
Shattuck, D., see Ophir, J.

Shear forces
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Shock wave
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213
cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test (Ayme), 61
effect of shock waves on suspended and immobilized L1210 cells (Brummer), 229
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo* (Williams), 53
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481

Shortland, A. P. and Cochrane, T.: Doppler spectral waveform generation *in vitro*: an aid to diagnosis of vascular disease, 737
Shoup, T. S., see Foster, F. S.

Sidelobes
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649

Signal analysis
clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis (Tortoli), 749
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729

Signal processing
automatic detection of inter-frame motion in echocardiographic images (Klingler), 683

Sister chromatid exchanges
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255

Smith, S. W., Insana, M. F. and Lopez, H.: new contrast-detail phantoms for improved precision in lesion detection measurements, 383
Sobel, B. E., see Milunski, M. R.

Sodium transport
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Sonoluminescence
an explanation for the decrease in cell lysis in a rotating tube with increasing ultrasound intensity (Miller), 67

Sosolik, R. C., Desai, B. B., Ciaravino, V. and Teale, J. M.: effect of fetal exposure to ultrasound on B lymphocyte function and antibody class production (Sosolik), 581
Sosolik, R. C., see Desai, B. B.

Speckle
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341
new contrast-detail phantoms for improved precision in lesion detection measurements (Smith), 383

Spectral analysis
a real-time autoregressive spectrum analyser for Doppler ultrasound signals (Schlindwein), 263
on the design and evaluation of a steady flow model for Doppler ultrasound studies (Law), 505
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9
very high frequency pulsed Doppler apparatus (Berson), 121

Spectral broadening
variation of Doppler ultrasound spectral width in the post-stenotic velocity field (Campbell), 611

Speed of sound
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21
contrast agents in diagnostic ultrasound (Ophir), 319
correction of refraction and other angle errors in beam tracking speed of sound estimations using multiple tracking transducers (Shattuck), 673
correlation artifacts in speed of sound estimation in scattering media (Ophir), 341
the Doppler shift and speed of sound in blood (Oates), 75L

Spherical model
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Standards
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
prediction of *in situ* exposure to ultrasound: an improved method (Bacon), 355

Starritt, H. C., Duck, F. A. and Humphrey, V. F.: an experimental investigation of streaming in pulsed diagnostic ultrasound beams, 363
Stewart, P. A., see Pijlman, B. M.

Straight sinus
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Streaming
an experimental investigation of streaming in pulsed diagnostic ultrasound beams (Starritt), 363
histopathology of shock wave treated tumor cell suspensions and multicell tumor spheroids (Brauner), 451
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Sturm, R. P., Estlinbaum, W. and Casty, M.: special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits, 499

T

Taylor, K. J. W. and Wells, P. N. T.: tissue characterisation, 421
Teale, J. M., see Desai, B. B.
Teale, J. M., see Sosolik, R. C.

Temperature elevation
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Temperature sensitivity
biological consequences of hyperthermia (Miller), 707

Teratogenicity
temperature elevation in the rat fetus due to ultrasound exposure (Abraham), 443

Therapeutic ultrasound
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461

Thermal effects
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39
biological consequences of hyperthermia (Miller), 707
the effect of therapeutic ultrasound on electrophysiological parameters of frog skin (Dinno), 461
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Thermogenesis
biological consequences of hyperthermia (Miller), 707

Thermotolerance
biological consequences of hyperthermia (Miller), 707

Thijssen, J.M, see Romijn, R. L.

Third order transform
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13

Thrombosis
the *in vitro* echogenicity of flowing blood in patients with vascular disease and the effect of naftidrofuryl (Kallio), 555

Tissue characterisation
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
in vivo ultrasound backscattering estimation for tumour diagnosis: an animal study (Romijn), 471
liver glycogen and water storage: effect on ultrasound attenuation (Tuthill), 621
parameter estimation for non-linear frequency dependent attenuation in soft tissue (He), 757
tissue characterisation (Taylor), 421
ultrasonic characterisation of selected renal tissues (Turnbull), 241

Tissue effects
fetal depth and ultrasound path lengths through overlying tissues (Carson), 629
losses in tissue associated with finite amplitude ultrasound transmission (Fry), 481

Tortoli, P., Valgimigli, F. and Guidi, G.: clinical evaluation of a new anti-aliasing technique for ultrasound pulsed Doppler analysis, 749

Toxicity
biological consequences of hyperthermia (Miller), 707
cavitation induced by asymmetric, distorted pulses of ultrasound: a biological test (Ayme), 61
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
contrast agents in diagnostic ultrasound (Ophir), 319
single strand breaks in human leukocytes induced by ultrasound *in vitro* (Miller), 765
sister chromatid exchanges in Chinese hamster ovary cells exposed to high intensity pulsed ultrasound: inability to confirm previous positive results (Miller), 255
the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle (Zakharov), 561

Transabdominal ultrasonography
transabdominal and transvaginal sonography of pelvic masses (Fleischer), 529

Transcranial Doppler
spatial resolution of transcranial pulsed Doppler technique *in vitro* evaluation of the sensitivity distribution of the sample volume (Arnolds), 729
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Transducer
a digital annular array prototype scanner for realtime ultrasound imaging (Foster), 661
development of a 12 element annular array transducer for realtime ultrasound imaging (Foster), 649
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Transfontanelle
transfontanelle pulsed Doppler measurements of blood velocity in the internal jugular vein, straight sinus and internal cerebral vein in preterm and term neonates (Pfannschmidt), 9

Transient ischaemic attacks
features of carotid artery flow velocity in healthy subjects and consequences for evaluating stenosis in the internal carotid artery (Jungquist), 305

Transvaginal sonography
transabdominal and transvaginal sonography of pelvic masses (Fleischer), 529

Tumor initiators
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335

Tumors
continuous-wave ultrasound and neoplastic transformation *in vitro* (Harrison), 335
tissue characterisation (Taylor), 421

Turnbull, D. H., Wilson, S. R., Hine, A. L. and Foster, F. S.: ultrasonic characterisation of selected renal tissues, 241
Tuthill, T. A., Baggs, R. B. and Parker, K. J.: liver glycogen and water storage: effect on ultrasound attenuation, 621

U

Ultrasonic toxicity
a test of I2T as a dose parameter for fetal weight reduction from exposure to ultrasound (Child), 39

Ultrasound computed tomography
assessment of ultrasonic computed tomography in symptomatic breast patients by discriminant analysis (Scherzinger), 21

Umbilical artery
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107

Uterine artery
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437

Uteroplacental circulation
effect of placental resistance, arterial diameter and blood pressure on the uterine arterial velocity waveform: a computer modeling approach (Adamson), 437

V

Vascular reactivity
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Vascular resistance
transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex (Vriens), 1

Vectorial Doppler
should results of ultrasound Doppler studies be reported in units of frequency or velocity? (Phillips), 205

Vein
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Velocity
ultrasonic characterisation of selected renal tissues (Turnbull), 241
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113

Velocity profile
velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data (Vieli), 113

Venous endothelium
ultrasound induced damage of veins in pig ears, as revealed by scanning electron microscopy (Kerr), 45

Vertebral artery
hemodynamic effects of innominate artery occlusive disease. Evaluation by Doppler ultrasound (Brunholzl), 201
special Doppler ultrasound transducers for recording vertebral artery blood flow in rabbits (Sturm), 499

Vieli, A., Moser, U., Maier, S., Maier, D. and Boesiger, P.: velocity profiles in the normal human abdominal aorta: a comparison between ultrasound and magnetic resonance data, 113

Vitreous hemorrhage
ultrasonically induced disruption and haemolysis of vitreous hemorrhages (Lucas), 29

Volume
gallbladder emptying in diabetic patients and control subjects assessed by real-time ultrasonography and cholescintigraphy: a methodological comparison (Kronert), 535

Volume flow
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—I. theoretical considerations and ultrasonic fields (Evans), 169
a new approach to the noninvasive measurement of cardiac output using an annular array Doppler technique—II. practical implementation and results (Evans), 179

Vreuls, H. J. M., see Mullaart, R. A.
Vriens, E. M., Kraaier, V., Musbach, M., Wieneke, G. H. and van Huffelen, A. C.: transcranial pulsed Doppler measurements of blood velocity in the middle cerebral artery: reference values at rest and during hyperventilation in healthy volunteers in relation to age and sex, 1

W

Wall motion
cardiac cycle-dependent variation of integrated backscatter is not distorted by abnormal myocardial wall motion in human subjects with paradoxical septal motion (Milunski), 311

Wall thickness
an ultrasonic measurement of superficial femoral artery wall thickness (Beach), 723

Waveform analysis
heartrate variation of umbilical artery Doppler waveforms (Hoskins), 101
LaPlace transform analysis of femoral artery Doppler signals: the state of the art (Baker), 13
the choice of index for umbilical artery Doppler waveforms (Hoskins), 107

Waveforms
a survey of the acoustic output of commercial extracorporeal shock wave lithotripters (Coleman), 213

Wells, P. N. T., Luckman, N. P. and Skidmore, R.: a second order approximation in the Doppler equation, 73L
Williams, A. R., Delius, M., Miller, D. L. and Schwarze, W.: investigation of cavitation in flowing media by lithotripter shock waves both *in vitro* and *in vivo*, 53
Wells, P. N. T., see Taylor, K. J. W.
Wickline, S. A., see Milunski, M. R.
Williams, A. R., see Miller, D. L.
Wladimiroff, J. W., see Pijlman, B. M.
de Wolff-Rouendaal, D., see Romijn, R. L.
Wu, J., see Dinno, M. A.

Y

Yazdi, Y., see Ophir, J.
Yazdi, Y., see Shattuck, D. P.
Yoshida, H., see Foster, F. S.
Yushin, V. P., see Zakharov, S. I.

Z

Zakharov, S. I., Bogdanov, K. Y., Rosenshtraukh, L. V., Gavrilov, L. R. and Yushin, V. P.: the effect of acoustic cavitation on the contraction force and membrane potential of rat papillary muscle, 561
Ziskin, M. C., see Abraham, V.